	Application No.	Applicant(s)
Notice of Allowability	10/798,042	CLIMENHAGA, DOUGLAS W.
	Examiner	Art Unit
	Torroll L. Motthouse	2654
	Terrell H. Matthews	3654
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>10/23/2006</u> .		
2. The allowed claim(s) is/are <u>1-5 and 14-18</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	5 District of laterace 5	Makanak Amadharatha
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal P 6. ☐ Interview Summary 	• •
_	Paper No./Mail Dat	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
or protogram material	9.	

Page 2

DETAILED ACTION

The following is an examiner's statement of reasons for allowance:

Claim 1 is allowable over the prior art of record because the teachings of the references taken as a whole do not show or render obvious the combination set forth, including: (1) an additional slot in the opposite side between the nut on the one hand and the second slots on the other hand. (2) a manual actuator provided within the tube and movable between a first position within the tube and a second position extending exteriorly of the tube and a linkage connecting the actuator to each of the dogs and movable in response to movement of the actuator to the actuator second position to allow movement of the dogs from the dogs second positions toward the dog first positions and responsive to movement of the actuator toward the actuator first position to allow the dogs to move toward the dog second positions.

Claim 14 is allowable over the prior art of record because the teachings of the references taken as a whole do not show or render obvious the combination set forth, including: (1) a manual actuator provided within the tube and movable between a first position within the tube and a second position extending exteriorly of the tube and a linkage connecting the actuator to each of the dogs and movable in response to movement of the actuator to the actuator second position to allow movement of the dogs from the dogs second positions toward the dog first positions and responsive to

Application/Control Number: 10/798,042

Art Unit: 3654

movement of the actuator toward the actuator first position to allow the dogs to move toward the dog second positions.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/798,042

Art Unit: 3654

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Terrell H. Matthews whose telephone number is (571)272-5929. The examiner can normally be reached on M-F 8am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kathy Matecki can be reached on (571) 272-6951. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

THM

SUPERVISORY PATENT EXAMINER

Page 4